

Reusche Hot Glass Colors

Firing Temperature 1250-1450F

Profile:

Full gloss, opaque.

Firing Temperature:

1250-1450°F (676-788C) Firing cycles are dependent on the type and thickness of the glass in addition to kiln size and load.

Mixibility:


All colors within the range are fully intermixable,
Testing recommended.

Application:

Supplied as powder or pastes for screen printing, either hot or cold, and for hand painting.

Health & Safety:













For detailed Health and Safety requirements consult the appropriate Material Safety Data Sheets.



These colors contain lead and/or cadmium. Do not use on food bearing surfaces, toys or children's items.




Reusche Hot Glass Colors

Firing Temperature 1250-1450F

Product Number	Description	Color Swatch
HG9034	Flame Red	
HG9041	CD Red	
HG9033	Bright Orange	
HG9032	Pumpkin Orange	
HG9042	Dandelion	Discontinued
HG9031	Sunshine Yellow	
HG9043	Yellow Green	
HG9049	Brilliant Green	
HG9044	Grass Green	
HG9045	Everglade	
HG9046	Vivid Turquoise	
HG9037	Ocean Blue	
HG9038	Flag Blue	

Reusche Hot Glass Colors

Firing Temperature 1250-1450F

Product Number	Description	Color Swatch
HG9047	Brown	
HG9039	Leather Brown	
HG9040	Midnight Brown	
HG9030	Black	
HG9035	White	
HG9036	Flux	