

Reusche Colors

Low Expansion Colors For Glass

Profile:

High gloss, opaque, vibrant color

Firing Temperature:

1140-1210°F (615-650C) Firing cycles are dependent on the type of substrate

Mixibility:



All colors within the range are fully intermixable,
Testing recommended.

Application:

Supplied as powder or pastes for screen printing, either hot or cold,
and for hand painting.

Health & Safety:



For detailed Health and Safety requirements consult the appropriate
Material Safety Data Sheets.

	These colors contain lead and/or cadmium. Do not use on food bearing surfaces, toys or children's items.
	Dishwasher durability is high.


Reusche Colors

Low Expansion Colors For Glass

Recommended Firing Temperature 1140-1180F

Product Number	Description	Color Swatch
D201546	White	N/A
D211825	Yellow Red	
D211828	Blue Red	
D211830	Maroon	
D281096	Orange	
D232783	Green Yellow	
D232787	Orange Yellow	
D232793	Gold Yellow	
D252175	Green	
D261936	Chrome Green	
D261940	Blue Green	
D273890	Green Blue	
D273892	Red Blue	
D273909	Dark Blue	

Reusche Colors
Low Expansion Colors For Glass
Recommended Firing Temperature 1140-1180F

Product Number	Description	Color Swatch
D293362	Buff	
D293359	Brown	
D293356	Red Brown	
D293372	Dark Brown	
D293377	Dark Brown	
D242014	Black	