

REUSCHE & CO.

Commercial Decorating Supplies



Effective June 15, 2017

Catalog I

Trusted Quality Since 1906

- Enamels for glass & ceramics, lead & cadmium free colors available
- Custom color matching
- Premixing available
- Oils & mediums
- Small and large quantities available
- Excellent customer service
- Fast turnaround times

IMPORTANT INFORMATION

Minimum order amount is \$50.00—NO exceptions. Orders are accepted on the basis of cash with order, Visa, MasterCard, American Express, Discover or C.O.D. at the time of your first order. We would appreciate your resale tax number, phone and fax numbers.

Office hours are 8:00 am—4:30 pm Monday through Friday, MST

To avoid errors and misunderstandings, please order by item number as well as name.

We will not be liable for duplication of fax or phone orders followed by a written order that is not clearly marked "CONFIRMATION".

No order will be shipped without a complete shipping address, this includes a zip code, street address and building or unit number if any.

If you would like to open an account with us on the terms of net cash upon receipt of merchandise, please request a credit application and provide us your bank reference and three commercial references. All references must be current. We do accept Visa, MC, American Express and Discover. **All payment must be in US Dollars drawn on a US Bank.**

Precious metals (silver or gold) in the form of paste (jars and boxes), liquids or in colors are payable upon receipt of invoice for customers with an open account. All others are paid in advance or shipped C.O.D. There will be NO exceptions.

Backorders will be shipped as soon as possible unless cancelled by customer in writing.

Orders sent by UPS or Parcel Post will be insured against loss. Shipping, insurance, handling, and hazardous material charges (when applicable) will be added to the invoice. Shipments sent by truck or common carrier will be sent freight collect. A palette charge will be added to shipments by truck. A \$6.00 handling fee per box will be added to all orders that have a sub-total of \$100.00 or more.

All goods are packed with the utmost care. All shipments contain a packing list which must correspond to the contents of the package. No claim will be allowed unless made within five days of receipt of the goods and after inspection of the goods by the carrier.

Invoices are sent under separate cover.

Safety Data Sheets (SDS) are available upon request in writing.

There is a 25% restocking charge for returned catalog material upon approval. Non-catalog, special color matches and color ground in oil are not returnable. All approved returns must be made within 30 days of invoice.

Minimum order of non-catalog colors is 3 pounds, color ground in oil is 5 pounds and special color matches is 5 pounds.

All color is shipped in powder form unless specified otherwise. If you wish to receive your color in paste form, please specify which medium. The minimum purchase for color in paste form is 5 pounds per color.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

PRICE BREAKS AT 5, 10, 20, 35, 50, 100+ POUNDS, 200+ POUNDS CALL FOR QUOTE!

Table of Contents

Low Fire Lead Alternatives	Pages 4-5
Low Fire Colors for Glass	Page 6
Reusche Colors For Container Type Glass, Ceramic Ware, Art Glass & Scientific Ware	Pages 7-8
Onglaze Colors For Bone China, Vitreous China, Earthenware & Porcelain	Page 9
Oils & Mediums	Pages 10-11
Brushes	Pages 12
Sundry Items	Page 13



1 KG = 2.2 pounds



All Reusche Colors are sold in Powder form unless otherwise requested

All Reusche Colors can be premixed upon request (Hot or Cold) 5 POUND MINIMUM
Please see the Oils & Mediums on pages 10-13

REUSCHE COLORS—LEAD ALTERNATIVES

Reusche Decorators Choice

Formulated without lead or cadmium using a zinc borosilicate frit

Firing Temperature 1100-1180F (593-637C)

For use on cosmetic bottles, ad specialty items and non-returnable bottles

<u>Product#</u>	<u>Description</u>	<u>Product#</u>	<u>Description</u>
RC1001	Transparent Etch	RC3501	Turquoise
RC1002	Opaque Etch	RC4001	Ocean Blue
RC1003	White	RC6001	Butterscotch Brown
RC1004	Underall White	RC6002	Java Brown
RC2001	Aspen Yellow	RC6003	Amber Brown
RC3001	Jelly Bean Green	RC6004	Chocolate Brown
RC3002	Kelly Green	RC7001	Best Black
RC3003	Chrome Green	RC7002	Stiff Black

Reusche Decorators Choice with Cadmium Option

Formulated without lead using a zinc borosilicate frit

Firing Temperature 1100-1180F (593-637C)

For use on cosmetic bottles, ad specialty items and non-returnable bottles

<u>Product#</u>	<u>Description</u>	<u>Product#</u>	<u>Description</u>
RZ1000	Clear	RZ5001	Iron Red #1
RZ1001	White	RZ5003	Red (Contains Cadmium)
RZ1002	Extreme White	RZ5004	Orange Red (Contains Cadmium)
RZ1003	Etch #1	RZ5005	Orange (Contains Cadmium)
RZ2002	Citrus Yellow	RZ5006	Ruby Red (Contains Cadmium)
RZ2003	Metallic Gold	RZ6001	Autumn Brown
RZ2004	Yellow (Contains Cadmium)	RZ6002	Rust Brown
RZ3001	Green	RZ6003	Chocolate Brown
RZ3002	Turquoise	RZ6004	Brown (Contains Cadmium)
RZ3003	Chrome Green	RZ7001	Black
RZ4001	Blue	RZ8001	Peach
RZ4002	Intense Blue		
RZ4003	Baby Blue		

High Gloss Unleaded Overglaze Colors

Firing Temperature 1250-1450F (670-788C)

For use on bone china, vitreous china, earthenware and porcelain

<u>Product#</u>	<u>Description</u>	<u>Product#</u>	<u>Description</u>
HGU5001	Flux	HGU5014	Flag Blue
HGU5005	White	HGU5015	Green
HGU5011	Raven Black	HGU5016	Ginger Bread
HGU5012	Rustic Brown	HGU5017	Deep Ocean
HGU5013	Dark Earth	HGU5018	Tropical Green

WARNING: The materials used to manufacture the products in this catalog may contain lead and/or cadmium. Please refer to each products [Safety Data Sheet](#).

Please call or email for pricing information
 Phone 970-346-8577 Email sales@reuscheco.com

REUSCHE COLORS—LEAD ALTERNATIVES

23000 Series

Formulated without lead using a zinc borosilicate frit

Firing Temperature 1100-1180F (593-637C)

For use on cosmetic bottles, ad specialty items and non-returnable bottles

<u>Product#</u>	<u>Description</u>	<u>Product#</u>	<u>Description</u>
23000	White	23700	Autumn Brown
23001	Super White	23730	Rust Brown
23200	Citrus Yellow	23740	Chocolate Brown
23201	Gold Metallic	23900	Etch
23300	Iron Red	23901	Flux
23304	Peach	23902	AU Underlay
23400	Green		<u>Contains Cadmium</u>
23401	Turquoise	23202	Yellow
23402	Chrome Green	23301	Red
23500	Blue	23302	Orange Red
23600	Black	23305	Dutch Orange
		23306	Ruby Red
		23701	Brown

“Series 5” Colors

Formulated without lead and cadmium using a bismuth borosilicate frit

Firing Temperature 1150-1400F (621-760C)

For use on glass and ceramicware, high fire ad specialty items and artware

<u>Product#</u>	<u>Description</u>	<u>Product#</u>	<u>Description</u>
50R001	Clear Glaze	56R002	Bistre Brown E402
51R001	Snow White	56R003	Umber Brown E403
51R002	True White	56R004	Ancient Brown E404
51R003	Satin Etch	56R005	Ancient Brown E405
51R500	Flesh Rachel	56R006	Sepia Brown
51R501	Blonde Flesh	56R007	Bistre Brown
51R502	Brunette Flesh	56R008	Hair Brown
51R503	Reflected Light	56R009	Light Hair Brown
51R504	Flesh	56R010	Medium Brown
52R001	Yellow	56R011	Dark Brown
52R002	Soft Yellow	56R012	Meissen Brown
53R002	Blue Green	56R013	Red Brown
53R003	Dark Green	56R014	Yellow Brown
53R004	Apple Green	56R015	Light Yellow Brown
53R005	Black Green	56R016	Finishing Brown
54R001	Strong Blue	56R501	Ivory Tan
54R002	Pastel Blue	57R001	Tracing Black E401
54R003	Teal Blue	57R002	Tracing Black E458
54R005	Dark Blue	57R003	Tracing Black #61
55R001	Flesh Red F476	57R005	Best Black
55R002	Persian Red	57R501	Dark Grey
55R003	Pompadour Red	57R502	Silver Grey
55R004	Violet of	57R503	Pearl Grey
55R005	Blood Red	58R001	Rose Pink
56R001	Umber Brown 1139	59R001	Blue Violet Purple

REUSCHE COLORS

Soft Alkaline Resistant Colors

Low firing glass colors containing lead and cadmium

Firing Temperature 1120/1140F (604-615C)

For use on glassware that needs to be fired at lower temperatures to avoid glass deformation

Fair acid/alkaline durability. Vibrant color with high gloss

<u>Product#</u>	<u>Description</u>	<u>Product#</u>	<u>Description</u>
D201573	White	D26173	Chrome Green
D20511	White	D26191	Turquoise Green
D211823	Yellow Red	D261934	Chrome Green
D211829	Maroon	D261938	Blue Green
D21213	Blood Red	D271542	Pool Blue
D21364	Maroon	D271874	Cobalt Blue
D22125	Rose Pink	D273057	Powder Blue
D22429	Baby Pink	D273887	Green Blue
D23034	Yellow Brown	D273894	Red Blue
D23149	Lemon Yellow	D273907	Dark Blue
D23258	Ivory	D27440	Columbine Blue
D232781	Green Yellow	D27768	Turquoise Blue
D232785	Orange Yellow	D28055	Salmon
D232791	Gold Yellow	D28108	Orange
D23374	Yellow	D281095	Orange
D24114	Black	D28155	Apricot
D242012	Black	D28581	Halloween Orange
D24485	Grey	D29153	Bone
D25199	Green Yellow	D292021	Flesh
D252173	Green	D293354	Red Brown
D25536	Aqua	D293361	Brown
D261235	Olive Green	D293364	Buff
D26171	Kelly Green	D29497	Tan

Blendable, Low-Lead Release Colors

Firing Temperature 1120-1160F (600-630C)

For use on tumbler/container type ware, ad specialty items, soda lime, silica and ceramicware

Excellent detergent durability and low lead release

<u>Product#</u>	<u>Description</u>	<u>Product#</u>	<u>Description</u>
D206000	White	D276033	Green Blue
D216025	Yellow Red	D276035	Red Blue
D216028	Maroon	D276036	Dark Blue
D236036	Green Yellow	D286023	Orange
D236037	Orange Yellow	D296031	Red Brown
D236038	Gold Yellow	D296032	Brown
D246014	Black	D296033	Buff
D256022	Green Yellow	D296034	Dark Brown
D266017	Chrome Green	D296035	Dark Brown
D266018	Blue Green	61R012	White
		61R013	Vivid White

REUSCHE COLORS

Reusche Preferred Leaded Colors

Firing Temperature 1120-1160F (600-630C)

**For use on tumbler/container type ware, ad specialty items, soda lime, silica and ceramicware
Excellent detergent durability and low lead release**

<u>Product#</u>	<u>Description</u>	<u>Product#</u>	<u>Description</u>
61R010	Satin Etch	63R511	Chrome Green
61R012	White	64R056	Blue
61R013	Vivid White	64R058	Blue
61R023	Flux	64R062	Blue
62R023	Sun Light	65R043	Pagoda Red
62R028	Yellow	65R050	Torch Red
62R029	Yellow	65R510	Ruby Red
62R521	Orange	66R045	Chocolate Brown
62R522	Dutch Orange	66R047	Autumn Brown
63R071	Green	67R010	Black
63R072	Green	67R020	Dense Black

Reusche Replacement Colors

Firing Temperature 1120-1160F (600-630C)

**For use on tumbler/container type ware, ad specialty items, soda lime, silica and ceramicware
Excellent detergent durability and low lead release**

<u>Product#</u>	<u>Description</u>	<u>Product#</u>	<u>Description</u>
61R012	White 206010	64R045	Soldier Blue 276180
61R013	Vivid White 206011	64R046	Blue 276179
62R022	Limelight Yellow 236134	64R049	Spruce Blue 276178
62R023	Sunlight 236136	65R042	Blue Red 211826
62R514	Tangerine 286102	65R043	Pagoda Red 216100
63R057	Green 266085	65R508	Deep Ruby 216099
63R059	Forest Green 262190	66R040	Chocolate Brown 296136
63R064	Grass Green 256129	66R041	Chocolate Brown 293993
63R508	Kentucky Blue 266086	67R008	Black 246006
		67R014	Midnight Black 246064

WARNING: The materials used to manufacture the products in this catalog may contain lead and/or cadmium. Please refer to each products **Safety Data Sheet**.

Please call or email for pricing information
Phone 970-346-8577 Email sales@reuscheco.com

REUSCHE COLORS

4 Color Process Colors for Glass Firing Temperature 1120-1140F (604-615C)

<u>Product#</u>	<u>Description</u>
4794MB	Cyan Blue
4795MB	Red (Magenta)
4796MB	Black
4797MB	Yellow

Low Expansion Colors for Glass Firing Temperature 1140-1180F (615-637C) For use on scientific glassware and decorative art glass Colors appear bright, glossy and opaque

<u>Product#</u>	<u>Description</u>	<u>Product#</u>	<u>Description</u>
D201546	White	D261940	Blue Green
D211825	Yellow Red	D273890	Green Blue
D211828	Blue Red	D273892	Red Blue
D211830	Maroon	D273909	Dark Blue
D232783	Green Yellow	D281096	Orange
D232787	Orange Yellow	D293356	Red Brown
D232793	Gold Yellow	D293359	Brown
D242014	Black	D293362	Buff
D252175	Green	D293372	Dark Brown
D261936	Chrome Green	D293377	Dark Brown

Reusche Silver Stains for Glass Firing Temperature 1050-1080F (565-582C) For use on art glass and for marking scientific ware

<u>Product#</u>	<u>Description</u>
1382	Orange #1
1383	Orange #2
1384	Yellow #3
1388	Orange Intense
1390	Amber Intense
D292465	Amber Stain (H465)

Reusche Silver Stains for Glass Firing Temperature 1000-1080F (537-582C) For use on art glass and for marking scientific ware

1392	Silver Stain Intense #1
1394	Silver Stain Intense #2
1396	Silver Stain Intense #3

REUSCHE COLORS

Series 94 Lead - Free Onglaze Colors
Firing Temperature 1250-1520F (676-876C)
For use on bone china, vitreous china, earthenware and porcelain

<u>Product#</u>	<u>Description</u>	<u>Product#</u>	<u>Description</u>
94C1001	Flux		<u>Series 94 Gold Bearing Colors</u>
94H1002	Corn Yellow	94A1000	Orchid Pink
94L1002	Sky Blue	94A1001	Clematis Pink
94L2000	Bright Blue	94A1002	Carnation Pink
94R1005	Kestrel Brown	94A1005	Flesh Tone
94V1001	Dolphin Grey		<u>Series 94 4 Color Process</u>
		94A4000	Magenta
		94E4000	Black
		94H4000	Yellow

High Gloss Low Lead Release Overglaze Colors
Firing Temperature 1250-1450F (670-788C)
For use on bone china, vitreous china, earthenware and porcelain

<u>Product#</u>	<u>Description</u>	<u>Product#</u>	<u>Description</u>
HG9030	Black	HG9039	Leather Brown
HG9031	Sunshine Yellow	HG9040	Midnight Brown
HG9032	Pumpkin Orange	HG9041	CD Red
HG9033	Bright Orange	HG9043	Yellow Green
HG9034	Flame Red	HG9044	Grass Green
HG9035	White	HG9045	Everglade
HG9036	Flux	HG9046	Vivid Turquoise
HG9037	Ocean Blue	HG9047	Brown
HG9038	Flag Blue		

1 KG = 2.2 pounds

REUSCHE OILS & MEDIUMS

HAND PAINTING, GOLD & GRINDING MEDIUMS

Product#	Name	Description
1900	Dresden Thick Oil	For hand painting
1903	Medium for Painting	For hand painting, fast drying
1903A	Painting Medium	Heavy bodied for hand painting
1905*	Medium for Paste	For raised gold and painting
1905A*	Outlining Medium	For thin line work
1906*	Tinting Medium	For background tinting
1906A*	Diluting Medium	For penwork with quills
1908	Balsam of Copaiba	Heavy bodied for mixing
8976MB	Thin Balsam of Cop.	Thin for mixing
1911	Venice Turpentine	For medium mixes, dries hard
1913	Tar Oil	Use with 1905 for raised effect
1915	Aniseed Oil	For mixing & painting, stays open
1916	Clove Oil	For mixing & painting, stays open
1917*	Lavender Oil	For mixing & diluting heavier oils
1928*	Pure Gum Spirits of Turpentine	Heavy bodied for mixtures
1929*	Fry's Medium	For hand painting
1569*	Elarco Gold Facilitator	For use with gold paste, thinner.
7997MB	Pine Oil	For mixing, direct screen printing
D1368	Waterbase Medium	For hand painting, cleans up with water
7905MB	Fat Oil	Heavy bodied for painting on porcelain

THINNERS

Product#	Name	Description
63/22	Thinner	Pine oil based to be used w/ 63/23 and 63/292 Decal mediums
63/136	Thinner	Pine oil based to be used w/ 63/41 medium

DIRECT SCREEN PRINTING MEDIUMS

Product#	Name	Description
163C—5 gallon min.	Squeegee Medium	Electronics screening medium
D175	Squeegee Oil	Excellent for general use- Most Popular
8220MB	Squeegee Medium	Thick, for printing transp. colors, heavy loading, very hard drying
63/41	Screen Medium	Pine oil based, can also be used for rollercoat & hand painting

INDIRECT (DECAL) SCREEN PRINTING MEDIUMS

Product#	Name	Description
4700MB*	Decal Medium 208	Dries Quickly, holds a large amount of color, Use 4701MB or 4702MB Covercoats
M2600	Decal Medium	Quick drying, Use C2601 or C2601 Covercoats

REUSCHE OILS & MEDIUMS

DECAL COVERCOATS

<u>Product#</u>	<u>Name</u>	<u>Description</u>
4701MB*	Decal Covercoat L406	Great Flexibility, to be used with 4700MB
4702MB*	Decal Covercoat L406	Yellow Covercoat, same characteristics as 4701MB
C2601	Decal Covercoat	OPL Series replacement (Clear) For use with M2600, 63/23 & 63/292
C2602	Decal Covercoat	OPL Series replacement (Yellow) For use with M2600, 63/23 & 63/292


THERMOPLASTIC MEDIUMS

<u>Product#</u>	<u>Name</u>	<u>Description</u>
D1171	Thermoplastic Medium	A wax based thermoplastic direct screen printing medium
MH19	Thermoplastic Medium	A wax based thermoplastic medium

MISCELLANEOUS SUPPLIES

<u>Product#</u>	<u>Name</u>	<u>Description</u>
2168	Decal Paper	Waterslide decal paper, pkg. of 25 (12 1/2"x18") sheets.
2169	Decal Paper	Waterslide decal paper, Pkg of 250 (12 1/2"x18") sheets.
52180	Tin Scope	Determine the tin side of the glass. Ultra Violet Light Technology

PREMIXING—5 POUND MINIMUM
REUSCHE COLORS CAN BE PREMIXED IN ANY OF OUR OILS ON
PAGES 10-11



WARNING: The materials used to manufacture the products in this catalog may contain lead and/or cadmium. Please refer to each products **Safety Data Sheet**.

* PLEASE NOTE ADDITIONAL HAZARDOUS SHIPPING CHARGES MAY APPLY

REUSCHE BRUSHES CONTINUED



SERIES 31A—ENGLISH BADGER BLENDER
 PRICES EACH
 SIZE 3" \$225.00



**SERIES 32A—ENGLISH GLASS STAINER STIP-
 PLER**
 PRICE EACH
 SIZE 4 \$43.80



SERIES 31S—FRENCH BADGER BLENDER
 SIZE 3" \$75.00



SERIES 366—PONY HAIR ROUND
 PRICES EACH
 SIZE 2 \$4.00 SIZE 6 \$5.00
 SIZE 4 \$4.50 SIZE 8 \$5.50



**SERIES 32—GERMAN ROUND BADGER
 BLENDER**
 PRICE EACH
 SIZE 6 \$30.00



SERIES 890A—TAKLON LONG LINER
 PRICES EACH
 SIZE 1 \$4.20 SIZE 4 \$4.70



SERIES 18—CAMEL HAIR MATTING BRUSH
 PRICES EACH
 SIZE 1 1/2" \$30.00




SERIES 892A—TAKLON MEDIUM LINER
 PRICES EACH
 SIZE 1 \$4.00 SIZE 4 \$4.50



**SERIES 33—GERMAN FITCH DEERFOOT STIP-
 PLER**
 PRICE EACH
 SIZE 6 \$33.00

REUSCHE SUNDRY ITEMS

GOLD SUPPLIES

<u>Product#</u>	<u>Description</u>	
	<u>FOR BURNISHING:</u>	
1555	Burnishing sand(5 lb. min.)	
2053	Burnishing brush (rope wound)	9140
9040	Refillable burnishing brush 2mm	
9140	Refillable burnishing brush 4mm	
9042	2mm refill	2053
9242	8mm refill	

BOTTLING SUPPLIES

<u>Product#</u>	<u>Description</u>
800R	1oz. Round clear glass bottles/caps
9900*	Disposable respirator for toxic dust

* Dust masks are recommended when working with color

MIXING AND GRINDING SUPPLIES

<u>Product#</u>	<u>Description</u>
2028/4	4"x4" ground glass slab
9003-4"	Steel Spatula-4" end
9003-5"	Steel Spatula-5" end

MISCELLANEOUS SUPPLIES

<u>Product#</u>	<u>Name</u>	<u>Description</u>
2168	Decal Paper	Waterslide decal paper, pkg. of 25 (12 1/2"x18") sheets.
2169	Decal Paper	Waterslide decal paper, pkg. of 250 (12 1/2"x18") sheets.
G1795	Gum Arabic Powder	A binder to be used when mixing w/water
52180	Tin Scope	Determine which side is the tin side of the glass.



LARGE ENOUGH TO SERVE YOU,
SMALL ENOUGH TO KNOW YOU!